Revival Beds 4 Poster Bed Assembly Guide



The Four Poster Canopy Fixing Kit: 16 x dowels, 8 x threaded bar, 8 x half-moon washer, 8 x nuts, 8 caps and 1 x spanner.

Use this pack to assemble the canopy of your four poster bed.

NB: The dowels and threaded bars in fixing kit 1 and Fixing kit 2 are different sizes.

DO NOT MIX THEM UP!

Revival Beds are easy to build and only takes about 45 minutes to an hour assemble.

To start assembling your bed ensure you have sufficient space and all of the tools required.

Four poster beds have two fixing packs. The Bed Assembly Fixing Kit: 8 x dowels, 4 x threaded bar, 4 x half-moon washer, 4 x nuts and 1 x spanner 4 x screw. Use this pack to assemble the base of your bed.



1. Begin by taking the larger wooden dowels and insert them into the top and bottom holes of the two bed side rails.




Repeat this procedure for each of the four canopy rails using the smaller dowels from pack 2.





4. Screw the two smaller threaded bars from pack 2 into the top posts.



- 7. Check the bed is set square and then fully tighten the nut.
 - Repeat for the other side rail.Check the bed is square and fully tighten all the bolts.



3. Screw the larger threaded bar from pack 1 into the centre hole of each bed post.



- 5. Gently align the Bed Post and threaded bar and the wooden dowels and push together.
- 6. Place the Half-Moon washer and nut into the large hole towards the end of the siderail and tighten.



THE BED IS NOW READY TO HAVE THE FOUR POSTER CANOPY BUILT ON TO IT

- 9. Place the four posts with the threaded bars already in place into the hole on top of the bed posts.
- 10. Assemble the canopy rails in the same way as you assembled the bed rails.



- 12. Once the nuts are tight and the bed is positioned, place the covers over the fixing holes.
 - 13. Lay out the slats on the bearer bars
- 14. Screw down each corner and one in the middle with the screws from pack 1.



You Revival Four Poster Bed is now assembled!

For more information and advise simply visit http://www.revivalbeds.co.uk/blog/

Occasionally after a few months in a warm house the nuts on the bed and the canopy need to tightened up a little, use the spanner provided to do this:

this is due to post shrinkage

11. THE CANOPY RAIL ABOVE THE HEADEND SHOULD HAVE THE HOLES FACING OUTWARDS.

The footboard and two side canopy rails should have the fixing holes facing inwards.



15. If your bed has a centre support bar run this along the centre of the bed length-ways under the slats. Fix with the screws provided.

